

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	78200	variable with speed with (generator motor engine generating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 13:54
S2	126	S1 and (uninterrupt\$5 adj power adj supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 13:54
S3	2	("6404655").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 12:23
S4	47	("0107349" "0160514" "3885644" "4694189" "4912618" "4952852" "5081368" "5225712" "5552640" "5627744" "5880533" "5929538" "5984173" "6175163" "6175217" "6184593" "6278194" "6404655" "6445079" "6462976" "6737762" "6744240" "6787931").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 14:05
S5	78200	variable with speed with (generator motor engine generating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:32
S6	8819	S5 and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:39
S7	126	S5 and (uninterrupt\$5 adj power adj supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:39

EAST Search History

S8	78200	variable with speed with (generator motor engine generating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:44
S9	78200	variable with speed with (generator motor engine generating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 16:43
S10	8819	S9 and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 16:43
S11	126	S9 and (uninterrupt\$5 adj power adj supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 16:43
S12	8753	S10 not S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 09:08
S13	78200	variable with speed with (generator motor engine generating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 09:08
S14	8819	S13 and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 09:08
S15	126	S13 and (uninterrupt\$5 adj power adj supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 09:08

EAST Search History

S16	8753	S14 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 09:08
S17	246	S13 and (uninterrupt\$5) and (battery batteries)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 09:32
S18	180	S17 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 09:33
S19	522	S13 and (uninterrupt\$5) and (Temporary temporarily momentarily momentary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 09:32
S20	64	S18 and (converter inverter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 10:30
S21	65	("2783393" "3296451" "3315148" "3477013" "3558901" "3609426" "4035659" "4406950" "4412170" "4439720" "4460834" "4657117" "4686375" "4827152" "4857755" "4926107" "5053635" "5081368" "5198698").PN. OR ("5646458"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/17 09:39
S22	12	("3665495" "4465943").PN. OR ("5081368").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/17 10:17
S23	187	S19 and (converter inverter rectifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 10:44

EAST Search History

S24	152	S23 not (S20 S21)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 10:44
S27	4	generator and (uninterrupt\$5 adj power adj supply) with (inline in-line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:01
S28	323	generator with (uninterrupt\$5 adj power adj supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:57
S29	68	"307"/\$.ccls. and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:58
S30	1416	307/64.ccls.	USPAT; USOCR	OR	ON	2006/02/17 15:05
S31	63	S28 same switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:48
S32	1654	(maintenance same generator same switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:04
S33	14	S32 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:51
S34	0	generator with (uninterrupt\$5 adj power) and S32 not S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:57

EAST Search History

S35	14	(generator with (uninterrupt\$5 adj power)) and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:57
S36	131	"307"/\$.ccls. and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:58
S37	381	(maintenance with generator same switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:04
S38	6	S30 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:05
S39	8	generator with switch with open with maintenance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:19
S40	154	generator with switch with maintenance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:22
S41	146	S40 not S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:20
S42	9	S41 and "307"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:20

EAST Search History

S43	8	generator with disconnect with maintenance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:22
S44	4	enhanced with conduction with angle with dual with boost with dc with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 16:31
S45	4	conduction with angle with dual with boost with dc with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 16:31
S46	4	(conduction with angle) same (dual with boost) same (dc with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 16:47
S47	21	(power with factor with corrected) with (boost) with (dc with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 16:48
S48	20	(power with factor with corrected) with (boost) with (dc with voltage) same (converter regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 16:49
S49	230	power with factor with boost with dc with (converter regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 16:49
S50	226	power with factor with boost with dc with converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 16:50

EAST Search History

S51	87	power with factor with boost with dc with rectifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 17:16
S52	19	S51 and utility	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 17:02
S53	22	S51 and generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 17:07
S54	10	dual adj boost with regulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 17:07
S55	5	power with factor with boost with dc with rectifier with regulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 17:16
S56	139	307/65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 18:35
S57	1800	307/66.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 18:35
S58	207	307/67-68.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 18:37

EAST Search History

S59	447	307/85.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 18:37
S60	7	enhanced adj conduct\$4 adj angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 15:22
S61	4	enhanced adj conduct\$4 adj angle and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 17:09
S62	4	load adj shed\$3 adj term same energy adj storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 17:11
S63	4	load adj shed\$3 adj term and energy adj storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 17:18
S65	237	generator and variable adj speed and lookup adj table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 17:23
S67	223	S65 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 17:19
S68	96	S67 and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 17:19

EAST Search History

S69	55	generator same variable adj speed and lookup adj table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 17:34
S70	130	power and (load near2 (verse versus) near2 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 17:35
S71	12	power and (load near2 (verse versus) near2 speed)and generator and variable adj speed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 17:35
S73	42	variable adj speed with generator and (load with (speed rotation rotating)) same table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 17:44
S74	8	variable adj speed with generator and (load with (speed rotation rotating)) same table and (shed shedding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 17:44